

# Data Sheet

## FUJITSU Display E24-8 TS Pro

All-round Display: 60.5 cm (23.8-inch) widescreen display  
Best energy saving solutions for office applications

Simplify your day and work with pleasure on the stylish FUJITSU Display E24-8 TS Pro. Integrated speakers, In-Plane Switching (IPS) technology with Full HD for your maximum viewing experience and sound comfort. Enjoy first-class connectivity with DisplayPort, DVI (HDCP), VGA interfaces and benefit from excellent energy efficiency and superb ease-of-use.

In-Plane Switching (IPS) technology with 1,920 x 1,080 pixels high resolution for pin sharp pictures.

Representative design providing a slender housing in ergonomic matt black, integrated speakers and power supply

Support for FUJITSU Desktop ESPRIMO Q and FUJITSU Thin Client FUTRO backpack solutions

Low blue light mode

Flicker-free backlight



# Technical details

## Special features

In-Plane Switching (IPS) technology, LED backlight panel, Keep aspect ratio option, headset connector, Eco control button, Integrated speakers

## Ergonomic stand

Stand removable

Picture height over desk (min) 63 mm

Tilt angle -5° / +22°

## Picture performance

Panel and backlit In-Plane Switching (IPS) technology/LED

Screen Surface Treatment Anti-glare, 3H hard coating

Contrast - typical 1000:1

Contrast - advanced 20,000,000:1

Response time gray to gray typical 5 ms (in video mode)

Viewing angle (h/v) - typical 178°/178°

Color performance 16.7 million colors (Hi-FRC)

Brightness - typical 250 cd/m<sup>2</sup>

## Size and resolution

Aspect ratio 16:9

Diagonal Size 60.5 cm (23.8-inch)

Resolution (native) 1,920 x 1,080 pixel

Resolution (interpolated) 1,680 x 1,050 pixel, 1,440 x 900 pixel, 1,280 x 1,024 pixel, 1,280 x 720 pixel, 1,024 x 768 pixel, 800 x 600 pixel, 640 x 480 pixel

Picture size 527 x 296 mm

Pixel Pitch 0.2745 mm

## Frequencies

Horizontal 30 - 82 kHz

Vertical 56 - 76 Hz

## Connectivity

DisplayPort 1 x DisplayPort

DVI 1 x DVI-D (HDCP)

VGA/D-SUB 1 x D-SUB

Audio signal output 3.5 mm stereo phone jack

Audio signal input 3.5 mm stereo phone jack

Audio sound output 2 x 2.0 W

## Ease-of-use menu

Direct Access Keys Brightness, ECO, Input, Mode, Audio, Menu

Languages Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Japanese, Chinese simply, Chinese traditional

Brightness / Contrast Brightness, Contrast, Black level, Auto level

Mode sRGB, Office, Photo, Video, Low Blue Light

Color sRGB, 5000K, 6500K, 7500K, Native, Custom Color (R,G,B)

Image adjust Clock, Phase, H-Position, V-Position, Expansion

Audio Mute, Volume, Input for HDMI and DP interface

Information Model name, Serial number, Signal input, Resolution/mode, Display mode, Color Temperature, ACR Status

Advanced settings Overdrive, DDC/CI, Factory Recall

## Power consumption (typical, w/o sound)

Soft switch off 0.1 W

Power save mode 0.2 W

Operating with EPA settings 14.95 W

Power supply integrated

Power notes Speakers off

**Electrical values**

Rated voltage range	100 V - 240 V
Rated frequency range	50 Hz - 60 Hz
Protection class	1

**Compliance**

Europe	Energy Efficiency Class: A+, CE certification according to EC Directive 2004/108/EEC, EN 60950, RoHS, WEEE, IT-Eco-Declaration
Model	B24-8T
Germany	TÜV GS
Russia	EAC
USA/Canada	FCC Class B, cTUVus
Australia/New Zealand	(on customer request)
South Korea	KC
Singapore	S-Mark
Taiwan	BSMI
China	CCC
Saudi Arabia	SASO
Global	TCO Certified Displays 7.0, ENERGY STAR® 7.0, TÜV Low Blue Light Certified, TÜV Flicker Free Certified, EPEAT® Silver (dedicated regions), Zero bright and dark pixel faults, Subpixel faults according to ISO9241-307 (Pixel fault class I)
Compliance link	<a href="http://globalsp.ts.fujitsu.com/sites/certificates">http://globalsp.ts.fujitsu.com/sites/certificates</a>

**Quality and Reliability****Dimensions / Weight / Environmental**

Dimension without stand (W x D x H)	553 x 63.5 x 330.2 mm
	21.77 x 2.5 x 13.00 inch
Dimension with stand (W x D x H)	553 x 209 x 372 mm
	21.77 inch x 8.24 x 14.65 inch
Weight (packed)	4.84 kg
	10.67 lbs
Weight (unpacked)	3.6 kg
	7.94 lbs
Weight (Monitor only)	3.3 kg
	7.28 lbs
Operating ambient temperature	5 - 35 °C (41 - 95 °F)

**Miscellaneous**

Miscellaneous	VESA DDC/ CI, Flat Display Mounting Interface VESA MIS-D 100 C, Kensington lock prepared
Color	Black

**Package content**

Display delivered accessories	DVI-D Data cable 1.8 m Audio cable 1.8 m Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m Quickstart flyer Safety notes
Display delivered accessories notes	Data cables and audio cable detachable on display Please note: cable length may vary by +/- 5 cm.

**Order information**

Order Code	S26361-K1598-V160
EAN Code	4057185668828

---

**Order information**

<b>Country specific order code</b>	BDL:K1573V160-UK - with UK power cable, mandatory for Arabian countries BDL:K1573V160-CHN - with China power cable and CEL, mandatory for China BDL:K1573V160-INT - W/o power cable, mandatory for countries where import with EU cable is not allowed
------------------------------------	--

<b>Accessories information</b>	Further helpful options: Available Privacy Filters: <a href="http://globalsp.ts.fujitsu.com/dmsp/Publications/public/ds-Privacy-Filter.pdf">http://globalsp.ts.fujitsu.com/dmsp/Publications/public/ds-Privacy-Filter.pdf</a> Available Adapters: <a href="http://globalsp.ts.fujitsu.com/dmsp/Publications/public/pos-connectivity.pdf">http://globalsp.ts.fujitsu.com/dmsp/Publications/public/pos-connectivity.pdf</a>
--------------------------------	---

---

**Warranty**

<b>Warranty period</b>	3 years (depending on country)
<b>Warranty type</b>	Collect & Return Service (depending on country specific requirements)
<b>Warranty Terms &amp; Conditions</b>	<a href="http://support.ts.fujitsu.com/warranty">http://support.ts.fujitsu.com/warranty</a>
<b>Spare Parts availability</b>	5 years after end of product life
<b>Service Weblink</b>	<a href="http://www.fujitsu.com/fts/services/support">http://www.fujitsu.com/fts/services/support</a>

# More information

## Fujitsu OPTIMIZATION Services

In addition to FUJITSU Display E24-8 TS Pro, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Display E24-8 TS Pro, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
<http://www.fujitsu.com/fts/displays>

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
© 2016 Fujitsu Technology Solutions GmbH

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

### Contact

Fujitsu Technology Solutions GmbH  
Website: [www.fujitsu.com/fts](http://www.fujitsu.com/fts)  
2016-12-08 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
© 2016 Fujitsu Technology Solutions GmbH